



Distanz-Bolzen Messing vernickelt
Entretoises hexagonales laiton nickelé
Spacers brass nickel-plated



mit Innengewinde durchgehend / avec tige fileté / internal thread

øD mm	L mm	SW mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	Artikelnummer Numéro d'article Part-No.
M2	4	4	m20004.00.65		7	5	m30007.00.65		20	5	m30020.00.65
	5	4	m20005.00.65		7	5.5	m30007.50.65		20	5.5	m30020.50.65
	6	4	m20006.00.65		8	5	m30008.00.65		21	5	m30021.00.65
	7	4	m20007.00.65		8	5.5	m30008.50.65		22	5	m30022.00.65
	8	4	m20008.00.65		9	5	m30009.00.65	M4	10	7	m40010.00.65
	10	4	m20010.00.65		10	5	m30010.00.65		12	7	m40012.00.65
	12	4	m20012.00.65		10	5.5	m30010.50.65		13	7	m40013.00.60
	15	4	m20015.00.65		11	5	m30011.00.65		14	7	m40014.00.65
	18	4	m20018.00.65		11	5.5	m30011.50.65		15	7	m40015.00.60
	20	4	m20020.00.65		12	5	m30012.00.65		15	7	m40015.00.65
M2.5	5	5	m25005.00.65	12	5.5	m30012.50.65	16		7	m40016.00.65	
	8	5	m25008.00.65	13	5	m30013.00.65	18		7	m40018.00.65	
	9	5	m25009.00.65	13	5.5	m30013.50.65	19		7	m40019.00.65	
	10	5	m25010.00.65	14	5	m30014.00.65	20		7	m40020.00.65	
	12	5	m25012.00.65	14	5.5	m30014.50.65	21	7	m40021.00.65		
	15	5	m25015.00.65	15	5	m30015.00.65	M5	8	8	m50008.00.65	
	18	5	m25018.00.65	15	5.5	m30015.50.65		10	8	m50010.00.65	
	20	5	m25020.00.65	16	5	m30016.00.65		12	8	m50012.00.65	
M3	5	5	m30005.00.65	17	5	m30017.00.65		15	8	m50015.00.65	
	5	5.5	m30005.50.65	18	5	m30018.00.65	20	8	m50020.00.65		
	6	5	m30006.00.65	18	5.5	m30018.50.65					
	6	5.5	m30006.50.65	19	5	m30019.00.65					



mit Innengewinde beidseitig / avec filet femelle des deux côtés / with internal thread on both sides


øD mm	L mm	SW mm	T mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	T mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	T mm	Artikelnummer Numéro d'article Part-No.
M2	25	4	10	m20025.00.65		38	5	10	m30038.00.65		60	7	10	m40060.00.65
	30	4	10	m20030.00.65		40	5	10	m30040.00.65		70	7	10	m40070.00.65
	35	4	10	m20035.00.65		40	5.5	10	m30040.50.65		80	7	10	m40080.00.65
	40	4	10	m20040.00.65		45	5	10	m30045.00.65		90	7	10	m40090.00.65
	45	4	10	m20045.00.65		45	5.5	10	m30045.50.65		95	7	10	m40095.00.65
	M2.5	25	5	10		m25025.00.65	50	5	10		m30050.00.65	M5	25	8
30		5	10	m25030.00.65	50	5.5	10	m30050.50.65	30	8	10		m50030.00.65	
35		5	10	m25035.00.65	55	5.5	10	m30055.00.65	35	8	10		m50035.00.65	
40		5	10	m25040.00.65	55	5	10	m30055.00.65	40	8	10		m50040.00.65	
45		5	10	m25045.00.65	60	5	10	m30060.00.65	45	8	10		m50045.00.65	
M3	25	5	10	m30025.00.65	60	5.5	10	m30060.50.65	50	8	10	m50050.00.65		
	25	5.5	10	m30025.50.65	M4	25	7	10	m40025.00.65	55	8	10	m50055.00.65	
	27	5	10	m30027.00.65		30	7	10	m40030.00.65	60	8	10	m50060.00.65	
	30	5	10	m30030.00.65		35	7	10	m40035.00.65	70	8	10	m50070.00.65	
	30	5.5	10	m30030.50.65		40	7	10	m40040.00.65	80	8	10	m50080.00.65	
	33	5	10	m30033.00.65		45	7	10	m40045.00.65	90	8	10	m50090.00.65	
	35	5	10	m30035.00.65		50	7	10	m40050.00.65	100	8	10	m50100.00.65	
	35	5.5	10	m30035.50.65		55	7	10	m40055.00.65					
	37	5	10	m30037.00.65		58	7	10	m40058.00.65					

Andere Abmessungen auf Anfrage

Autres dimensions sur demande

Further dimensions on request

Distanz-Bolzen Messing vernickelt
Entretoises hexagonales laiton nickelé
Spacers brass nickel-plated



mit Innen- und Aussengewinde / avec filet femelle et mâle / with internal and external thread											
øD mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.
M2	5	4	2.5	6	m20005.01.65		30	5.5	10	10	m30030.51.65
	8	4	5	6	m20008.01.65		32	5	10	6	m30032.01.65
	10	4	5	6	m20010.01.65		35	5	10	10	m30035.01.65
	12	4	6	6	m20012.01.65		35	5.5	10	10	m30035.51.65
	15	4	6	6	m20015.01.65		40	5	10	10	m30040.01.65
	18	4	6	6	m20018.01.65		40	5.5	10	10	m30040.51.65
	20	4	6	6	m20020.01.65		45	5	10	10	m30045.01.65
	25	4	6	6	m20025.01.65		45	5.5	10	10	m30045.51.65
	30	4	6	6	m20030.01.65		50	5	10	10	m30050.01.65
	35	4	6	6	m20035.01.65		50	5.5	10	10	m30050.51.65
40	4	6	6	m20040.01.65	100	5	10	10	m30100.01.65		
M2.5	5	5	3	6	m25005.01.65	M4	5	7	3	8	m40005.01.65
	8	5	5	6	m25008.01.65		10	7	5	8	m40010.01.65
	9	5	5	6	m25009.01.65		12	7	8	8	m40012.01.65
	10	5	5	6	m25010.01.65		14	7	10	8	m40014.01.65
	11	5	5	6	m25011.01.65		15	7	10	8	m40015.01.65
	12	5	6	6	m25012.01.65		16	7	10	8	m40016.01.65
	16	5	6	6	m25016.01.65		18	7	10	8	m40018.01.65
	18	5	6	6	m25018.01.65		20	7	10	8	m40020.01.65
	20	5	6	6	m25020.01.65		22	7	10	8	m40022.01.65
	25	5	6	6	m25025.01.65		25	7	10	10	m40025.01.65
	30	5	6	6	m25030.01.65		30	7	10	10	m40030.01.65
	35	5	6	6	m25035.01.65		35	7	10	10	m40035.01.65
	40	5	6	6	m25040.01.65		40	7	10	10	m40040.01.65
	M3	5	5	3	5		m30005.01.65	45	7	10	10
5		5.5	3	8	m30005.51.65	50	7	10	10	m40050.01.65	
8		5	5	6	m30008.01.65	55	7	10	10	m40055.01.65	
8		5.5	5	8	m30008.51.65	60	7	10	10	m40060.01.65	
10		5	6	8	m30010.01.65	70	7	10	10	m40070.01.65	
10		5.5	6	8	m30010.51.65	80	7	10	10	m40080.01.65	
11		5	6	8	m30011.01.65	100	7	10	10	m40100.01.65	
11		5.5	6	8	m30011.51.65	M5	10	8	6	8	m50010.01.65
12		5	8	8	m30012.01.65		15	8	10	8	m50015.01.65
12		5.5	8	8	m30012.51.65		16	8	10	8	m50016.01.65
14		5	8	8	m30014.01.65		18	8	10	8	m50018.01.65
14		5.5	8	8	m30014.51.65		20	8	10	8	m50020.01.65
15		5	8	8	m30015.01.65		25	8	10	10	m50025.01.65
15		5.5	8	8	m30015.51.65		30	8	10	10	m50030.01.65
16		5	8	8	m30016.01.65		35	8	10	10	m50035.01.65
17		5	8	8	m30017.01.65		40	8	10	10	m50040.01.65
18		5	8	8	m30018.01.65		45	8	10	10	m50045.01.65
18		5.5	8	8	m30018.51.65		50	8	10	10	m50050.01.65
20		5	8	8	m30020.01.65		55	8	10	10	m50055.01.65
20		5.5	8	8	m30020.51.65		60	8	10	10	m50060.01.65
22		5	10	8	m30022.01.65		70	8	10	10	m50070.01.65
25		5	10	10	m30025.01.65	80	8	10	10	m50080.01.65	
25		5.5	10	10	m30025.51.65	90	8	10	10	m50090.01.65	
30		5	10	10	m30030.01.65	100	8	10	10	m50100.01.65	

Andere Abmessungen auf Anfrage


Autres dimensions sur demande

Further dimensions on request

Distanz-Bolzen UNC 4-40

Entretoises hexagonales UNC 4-40

Spacers UNC 4-40



Werkstoff/Matière/Material:


.65 = Messing vernickelt / laiton nickelé / brass nickel-plated

.99 = Stahl verzinkt / acier zingué / steel zinc-plated

mit Innen- und Aussengewinde / avec filet femelle et mâle / with internal and external thread


$\varnothing D$ mm	$\varnothing D1$ mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.
UNC 4-40	UNC 4-40	4.6	5	3.2	8	7663.99
	UNC 4-40	5	5	3.5	8	7666.65
	UNC 4-40	6	5	4.5	5	7672.65
	M3	6.2	5	4.5	8	7664.65
	M3	6.2	4.5	4.5	3.6	7668.65
	M3	5	5	3	8	7671.99
	M3	5	4.5	2.6	7	7682.99
M3	UNC 4-40	6	5	4	4	7669.65

Distanz-Bolzen Stahl verzinkt
Entretoises hexagonales acier zingué
Spacers steel zinc-plated



mit Innen- und Aussengewinde / avec filet femelle et mâle / with internal and external thread

øD mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.	øD mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.	
M6	10	9	5	10	m60010.01.99		70	9	10	10	m60070.01.99	
	10	10	5	10	m60010.51.99		70	10	10	10	m60070.51.99	
	15	9	10	10	m60015.01.99		75	9	10	10	m60075.01.99	
	15	10	10	10	m60015.51.99		75	10	10	10	m60075.51.99	
	18	9	10	10	m60018.01.99		80	9	10	10	m60080.01.99	
	20	9	10	10	m60020.01.99		80	10	10	10	m60080.51.99	
	20	10	10	10	m60020.51.99		85	9	10	10	m60085.01.99	
	25	9	10	10	m60025.01.99		85	10	10	10	m60085.51.99	
	25	10	10	10	m60025.51.99		90	9	10	10	m60090.01.99	
	30	9	10	10	m60030.01.99		90	10	10	10	m60090.51.99	
	30	10	10	10	m60030.51.99		95	9	10	10	m60095.01.99	
	35	9	10	10	m60035.01.99		95	10	10	10	m60095.51.99	
	35	10	10	10	m60035.51.99		100	9	10	10	m60100.01.99	
	40	9	10	10	m60040.01.99		100	10	10	10	m60100.51.99	
	40	10	10	10	m60040.51.99		110	9	10	10	m60110.01.99	
	45	9	10	10	m60045.01.99		110	10	10	10	m60110.51.99	
	45	10	10	10	m60045.51.99		120	9	10	10	m60120.01.99	
	48	9	10	10	m60048.01.99		120	10	10	10	m60120.51.99	
	48	10	10	10	m60048.51.99		130	9	10	10	m60130.01.99	
	50	9	10	10	m60050.01.99		130	10	10	10	m60130.51.99	
	50	10	10	10	m60050.51.99		140	9	10	10	m60140.01.99	
	55	9	10	10	m60055.01.99		140	10	10	10	m60140.51.99	
	55	10	10	10	m60055.51.99		150	9	10	10	m60150.01.99	
	60	9	10	10	m60060.01.99		150	10	10	10	m60150.51.99	
	60	10	10	10	m60060.51.99		160	9	10	10	m60160.01.99	
	65	9	10	10	m60065.01.99		160	10	10	10	m60160.51.99	
	65	10	10	10	m60065.51.99							



mit Innengewinde durchgehend / avec tige fileté / internal thread

øD mm	L mm	SW mm	T mm	A mm	Artikelnummer Numéro d'article Part-No.
M6	15	9			m60015.00.99
	20	9			m60020.00.99
	25	9			m60025.00.99

Andere Abmessungen auf Anfrage

Autres dimensions sur demande

Further dimensions on request