

Isoliertüllen für Steckhülsen 2,8 mm / 4,8 mm / 6,3 mm Douilles pour languettes Housings for taps

2,8 mm

Werkstoff:

PA = Polyamid

PE = Polyethylen

PV = PVC (Polyvinylchlorid)

Temperaturbeständigkeit:

PA -55°C bis +105°C

PE -60°C bis +80°C

PVC -10°C bis +75°C

Matière:

PA = polyamide

PE = polyéthylène

PV = PVC (chlorure polyvinyle)

Résistant à une température de:

PA -55°C à +105°C

PE -60°C à +80°C

PVC -10°C à +75°C

Material:

PA = polyamid

PE = polyethylene


PV = PVC (polyvinylchlorid)

Temperature range:

PA -55°C up to +105°C

PE -60°C up to +80°C

PVC -10°C up to +75°C




Artikelnummer
Numéro d'article
Part-No.

3930pv

mm² **0.14-0.5 mm²**


AWG 26-22



3930pe

mm² **0.5-1 mm²**


AWG 22-18



3930pa

mm² **0.5-1 mm²**

AWG 22-18




Artikelnummer
Numéro d'article
Part-No.

3931pa

mm² **0.14-1 mm²**


AWG 26-18



39314pa

mm² **0.14-1 mm²**

AWG 26-18




39311pa

mm² **0.5-1 mm²**

AWG 22-18

4,8 mm




Artikelnummer
Numéro d'article
Part-No.

3935pe

mm² **0.5-2.5 mm²**


AWG 22-14



3935wpv

mm² **0.5-2.5 mm²**


AWG 22-14



3936pa

mm² **0.5-2.5 mm²**


AWG 22-14




39361pa

mm² **0.5-2.5 mm²**

AWG 22-14



3931PA/3.5
39314PA/4.0



3936PA

Isoliertüllen für Steckhülsen 2,8 mm / 4,8 mm / 6,3 mm

Douilles pour languettes

Housings for taps

6,3 mm

Werkstoff:
PA = Polyamid
PE = Polyethylen
PV = PVC (Polyvinylchlorid)


Temperaturbeständigkeit:
PA -55°C bis +105°C
PE -60°C bis +80°C
PVC -10°C bis +75°C

Matière:
PA = polyamide
PE = polyéthylène
PV = PVC (chlorure polyvinyle)

Résistant à une température de:
PA -55°C à +105°C
PE -60°C à +80°C
PVC -10°C à +75°C

Material:
PA = polyamid
PE = polyethylene
PV = PVC (polyvinylchlorid)


Temperature range:
PA -55°C up to +105°C
PE -60°C up to +80°C
PVC -10°C up to +75°C



Artikelnummer
Numéro d'article
Part-No.


3938pa

mm² 0.5-2.5 mm²
AWG 22-14




3938pe

mm² 0.5-2.5 mm²
AWG 22-14



3941pa


mm² 0.5-2.5 mm²
AWG 22-14



Artikelnummer
Numéro d'article
Part-No.


3941pa3

mm² 0.5-2.5 mm²
AWG 22-14




3941pe0

mm² 0.5-2.5 mm²
AWG 22-14



3941pe2


mm² 0.5-2.5 mm²
AWG 22-14



Artikelnummer
Numéro d'article
Part-No.


3940pv

mm² 0.5-2.5 mm²
AWG 22-14



3943pv


mm² 0.5-2.5 mm²
AWG 22-14



Artikelnummer
Numéro d'article
Part-No.


3948pv

mm² 0.5-2.5 mm²
AWG 22-14



39411pa


mm² 0.5-1.5 mm²
AWG 22-16



39412pa

mm² 1.5-2.5 mm²
AWG 16-14

Isoliertüllen für Steckhülsen 2,8 mm / 4,8 mm / 6,3 mm Douilles pour languettes Housings for taps




Artikelnummer
Numéro d'article
Part-No.

3940pe

mm² **0.5-2.5 mm²**

AWG 22-14



3946pe

mm² **1-1.5 mm²**

AWG 18-16

