

Steckhülsen Band 2,8 mm

Clips pour picots en bande


Receptacles for pins in chain form

DIN 46247/1

* ausgenommen
* excepté
* excepted

Werkstoff/Matière/Material
.2 = Bronze/bronze
.6 = Messing/laiton/brass


■ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011




mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.14-0.3	26-24	2.8 x 0.5	37600.6 ■	*	14	6.3	-	5	2	0.25
	26-24	2.8 x 0.8	37620.2 ■	46247/T1	14	6	3.3	5.5	2.9	0.25
	26-24	2.8 x 0.8	37620.6 ■	46247/T1	14	6	3.3	5.5	2.9	0.25
	26-24	2.8 x 1.2	37620c.6 ■	*	14	6.3	-	5	2	0.25
0.3-0.5	24-22	2.8 x 0.5	37601.6 ■	46247/T1	14	6	3.3	5.5	2.9	0.25
	24-22	2.8 x 0.8	37621.6 ■	46247/1	14	6	3.3	5.5	2.9	0.25
0.5-1	22-18	2.8 x 0.5	37640.6 ■	46330/T2	12.5	5	3.3	5.5	2.5	0.3
	22-18	2.8 x 0.5	37660.6 ■	46247/T1	14	6	3.3	5.5	2.9	0.25
	22-18	2.8 x 0.8	37650.6 ■	46330/T2	12.5	5	3.3	5.5	2.5	0.3
	22-18	2.8 x 0.8	37670.2 ■	46247/T1	14	6	3.3	5.5	2.9	0.25
	22-18	2.8 x 0.8	37670.6 ■	46247/T1	14	6	3.3	5.5	2.9	0.25

Werkstoff/Matière/Material
.2 = Bronze/bronze
.6 = Messing/laiton/brass

■ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	2.8 x 0.4	3763704.6 ■	*	8	5	3.3	5.5	2.5	0.25
	22-18	2.8 x 0.8	376372 ■	*	8	5	3.3	5.5	2.5	0.25
	22-18	2.8 x 0.8	376376 ■	*	8	5	3.3	5.5	2.5	0.25




mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	2.8 x 0.8	37638.6 ■	*	8	5	3.3		2.9	0.25

Werkstoff/Matière/Material
.6 = Messing/laiton/brass

■ = Oberflächen/Surface/Surface-plating
Seite/page/page 5.011

Flachstecker am Band 2,8 mm Languettes plates en bande tabs in chain form



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	2.8 x 0.8	37990.6 ■	*	12.6	6.6	5.5	3.2	0.38

Werkstoff:
MS sn = Messing verzinkt

Matière:
MS sn = laiton étamé

Material:
MS sn = tin-plated brass

Temperaturbeständigkeit:
PVC -10°C bis +75°C
PA -55°C bis +105°C


Résistant à une température de:
PVC -10°C à +75°C
PA -55°C à +105°C

Temperature range:
PVC -10°C up to +75°C
PA -55°C up to +105°C


Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.

Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.

Current carrying capacity:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.



PVC									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	2.8 x 0.8	■	390020	*	19.5	1.7	4.1	




PA									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	2.8 x 0.5	■	396020	*	19	1.7	4.1	
	22-18	2.8 x 0.8	■	396020	*	19	1.7	4.1	

Steckhülsen Band 4,8 mm Clips pour picots en bande Receptacles for pins in chain form


DIN 46247/2

* ausgenommen
* excepté
* excepted

Werkstoff/Matière/Material
.2 = Bronze/bronze
.6 = Messing/laiton/brass
.9 = Stahl/acier/steel




mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	4.8 x 0.5	38000.60	46247/2	15.5	6.3	3.8	6.7	3.3	0.35
	22-18	4.8 x 0.8	38010.60	46247/2	16	6	3.8	6.3	3.5	0.35
1.5-2.5	16-14	4.8 x 0.5	38030.60	46247/2	15.5	6.3	3.8	6.7	3.3	0.35
	16-14	4.8 x 0.8	38050.27	46247/2	15.5	6.3	3.8	6.7	3.3	0.35



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	4.8 x 0.8	38061.20	*	14.6	6	3	6	3.4	0.35
	22-18	4.8 x 0.8	38061.90	*	14.6	6	3	6	3.4	0.35
	22-18	4.8 x 0.5	38071.20	*	14.6	6	3	6	3.4	0.35

Werkstoff/Matière/Material
.6 = Messing/laiton/brass

Steckverteiler am Band 4,8 mm raccords mixtes en bande multi-connector in chain form



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	4.8 x 0.8	38290a.67	*	15.6	6	3	6	3.4	0.38
1.5-2.5	16-14	4.8 x 0.8	38290b.67	*	15.6	6	3	6	3.4	0.38

Steckhülsen Band 4,8 mm

Clips pour picots en bande

Receptacles for pins in chain form

DIN 46247/2

* ausgenommen
* excepté
* excepted

Werkstoff:
MS sn = Messing verzinkt

Matière:
MS sn = laiton étamé

Material:
MS sn = tin-plated brass

Temperaturbeständigkeit:
PVC -10°C bis +75°C
PA -55°C bis +105°C


Résistant à une température de:
PVC -10°C à +75°C
PA -55°C à +105°C




Temperature range:
PVC -10°C up to +75°C
PA -55°C up to +105°C


Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.





Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.


Current carrying capacity:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.



PVC									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	4.8 x 0.5		39012	*	19.5	1.7	4.1	
	22-18	4.8 x 0.8		39022	*	19.5	1.7	4.1	
1.5-2.5	16-14	4.8 x 0.8		39052	*	19.5	2.3	4.5	




PA									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	4.8 x 0.5		39612	*	20	1.7	4.1	
	22-18	4.8 x 0.8		39622	*	20	1.7	4.1	
1.5-2.5	16-14	4.8 x 0.5		39642	*	20	2.3	4.5	
	16-14	4.8 x 0.8		39652	*	20	2.3	4.5	




PA									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	UL-No
0.5-1	22-18	4.8 x 0.8		3923008s	*	15	1.6	4.5	E235796

Werkstoff/Matière/Material
.6 = Messing/laiton/brass



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	6.3 x 0.8	38310.60	46247/T3	19	7.5	4	8.5	4	0.45
	22-18	6.3 x 0.8	38310.67	46247/T3	19	7.5	4	8.5	4	0.45
	22-18	6.3 x 0.8	38311.60	46247/T3	19.2	7.4	4	8.5	4.5	0.44
1-2.5	18-14	6.3 x 0.8	38330.60	46247/T3	19	7.5	4	8.5	4	0.4
	18-14	6.3 x 0.8	38330.67	46247/T3	19	7.5	4	8.5	4	0.4

Werkstoff/Matière/Material
.6 = Messing/laiton/brass



mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	6.3 x 0.8	38372.60	46346/A	12.5	7.4	4	11	3.5	0.38

mm ²	AWG	Größe Grandeur Size	Artikelnummer Numéro d'article Part-No.	DIN	L1 mm	L2 mm	L3 mm	A1 mm	A2 mm	S mm
0.5-1	22-18	6.3 x 0.8	38374.60	46346/A	12.5	7.4	4	11	3.5	0.38

Werkstoff:
MS sn = Messing verzinkt

Matière:
MS sn = laiton étamé

Material:
MS sn = tin-plated brass

Temperaturbeständigkeit:
PVC -10°C bis +75°C
PA -55°C bis +105°C


Résistant à une température de:
PVC -10°C à +75°C
PA -55°C à +105°C

Temperature range:
PVC -10°C up to +75°C
PA -55°C up to +105°C


Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.




Strombelastbarkeit:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.


Current carrying capacity:
0.5 – 1.0 mm² / 10 A max.
1.5 – 2.5 mm² / 15 A max.
4.0 – 6.0 mm² / 20 A max.






PVC									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	6.3 x 0.8		39102		21	1.7	4.1	



PVC									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	6.3 x 0.8		39032		21	1.7	4.1	
1.5-2.5	16-14	6.3 x 0.8		39062		21	2.3	4.5	
4-6	12-10	6.3 x 0.8		39072		25	3.4	6.8	



PA									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	
0.5-1	22-18	6.3 x 0.8		39632		21	1.7	4.1	
1.5-2.5	16-14	6.3 x 0.8		39662		21	2.3	4.5	



PA									
mm ²	AWG	Größe Grandeur Size	Farbe Couleur Colour	Artikelnummer Numéro d'article Part-No.	DIN	L mm	øD mm	øD1 mm	UL-No
1.5-2.5	16-14	6.3 x 0.8		39390s		15.2	2.3	4.5	E235796